

Black Line Electric



Available Screen Materials



Arctiq

The screen fabric has a matt white surface.



GreyLight (gain 0.93)

The screen fabric has a high contrast matt grey surface.



Acoustic

White sound transparent material which provides 180° viewing angle.

Available Formats



The screen has 5 cm wide black borders. The format of the viewing area is 4:3.



The screen has 5 cm wide black borders. The format of the viewing area is 16:9.



The screen has 5 cm wide black borders. The format of the viewing area is 2.35:1.

Control Options



Installation

5m cable. Needs to be installed by electrician.



Switch

The screen is operated by a 3-positions in-line switch.



Remote Control

The screen is operated by a 3-positions IR remote control.




AutoLink

The screen goes automatically down/up when turning the projector on/off.

Black Line Electric is a high quality screen which, thanks to the robust construction and flexible installation, is the preferred screen among our professional buyers. The installation is very flexible with mounting brackets that can be adjusted side-ways to preferred positions. The screen can be mounted on the wall as well as in the ceiling. It comes in a black painted aluminium case and can be operated by an in-line switch, an IR remote control or automatically by an AutoLink connected to the projector. For system installations it's also available with cable only. All control options are easily connected to the screen via the universal connector on the screens backside.

Screen Dimensions



Screen width	Total width
1600 - 2000	Screen width +86
2200 - 3000	Screen width +94





Example – Black Line Electric Dimensions

Model: MB2724-W

Screen width: 2700 mm

Total width: 2700 mm + 94 mm = 2794 mm

Bar width: 2700 mm + 66 mm = 2766 mm



All dimensions in this document are in mm

Document PDSMB ver 1.1, page 1 of 3




Bjurab Sweden AB
Kristinebergsvägen 22
SE-302 41 Halmstad
Sweden

Tel: +46 – 35 – 144290
Fax: +46 – 35 – 144291
Email: info@bjurab.se
Web: www.bjurab.se

Bracket Dimensions


Brackets – Wall

Included in all Black Line products




Brackets – Ceiling

Included in all Black Line products



Packaging Dimensions



Screen width	Box length	Box width	Box height
1600	1820	150	125
1800	2020	150	125
2000	2570	150	125
2200	2770	120	120
2400	2970	120	120
2700	3270	120	120
3000	3540	120	120



Switch

Enclosed with the screen, when ordered.

Weight – 0.32kg



Installation

Enclosed with the screen, when ordered.

Weight – 0.40kg

Remote Control

Delivered separately



Art. no euro plug: 210695

UK plug: 210695-UK

Communication – Infrared
Batteries handcontrol – 2pcs 1,5 volt AAA, included
Dim. & weights – Handcontrol: 162 x 50 x 28 (0.085kg)
Receiver: 120 x 72 x 35 (0.42kg)
Package: 710 x 105 x 56
Weight all together – 0.64kg



AutoLink

Delivered separately


Art. no euro plug: 210700

UK plug: 210700-UK


Communication – Infrared
Dim. & weights – Receiver: 120 x 72 x 35 (0.42kg)
Transmitter: 103 x 57 x 36 (0.26kg)
Package: 710 x 105 x 56

Weight all together – 0.87kg

Switch




Installation




Receiver

part of Remote Control as well as AutoLink



Transmitter

part of AutoLink



All dimensions in this document are in mm.

Document PDSMB ver 1.1, page 2 of 3



Bjurab Sweden AB
Kristinebergsvägen 22
SE-302 41 Halmstad
Sweden

Tel: +46 – 35 – 144290
Fax: +46 – 35 – 144291

Email: info@bjurab.se
Web: www.bjurab.se

Electrical specifications

Plug options



Motorized screens, except Installation version, are delivered with either Euro plug or UK plug (both grounded).

Motor Specifications

Voltage: 220 V Frequency: 50 Hz
Power: 85 W Momentum: 6Nm
Speed: 28 rpm Protection: IP44

The motor is grounded

Cable Specifications

Thickness: Ø 7 mm
Cable area: 4x0,34mm², motor to control
3x0,34mm², control to plug
Wires: Black - Up, Brown - Down
Blue - Neutral
Green/Yellow - Ground

Article Numbers for Black Line Electric

Video Format, 4 : 3

ART.NO	SCREEN SIZE WIDTH x HEIGHT	VIEW.AREA WIDTH x HEIGHT	WT. KG
MB1617-V	1600 x 1850	1500 x 1125	8.4
MB1817-V	1800 x 1850	1700 x 1275	9.9
MB2017-V	2000 x 1850	1900 x 1425	11.4
MB2217-V	2200 x 1800	2100 x 1575	12.6
MB2420-V	2400 x 2050	2300 x 1725	14.0
MB2724-V	2700 x 2250	2600 x 1950	16.2
MB3024-V	3000 x 2350	2900 x 2175	17.7

Wide Format, 16 : 9

ART.NO	SCREEN SIZE WIDTH x HEIGHT	VIEW.AREA WIDTH x HEIGHT	WT. KG
MB1617-W	1600 x 1850	1500 x 845	8.4
MB1817-W	1800 x 1850	1700 x 955	9.9
MB2017-W	2000 x 1850	1900 x 1070	11.4
MB2217-W	2200 x 1800	2100 x 1180	12.6
MB2417-W	2400 x 1800	2300 x 1295	13.4
MB2724-W	2700 x 2050	2600 x 1460	15.7
MB3024-W	3000 x 2050	2900 x 1630	17.2

All weights are gross (total weight including packaging, brackets etc.).

Standard screen material is white. Screens with Greylight, Greyline, ReAct and Acoustic fabric are available in sizes with maximum height of 2400 mm.

For article numbers with Greylight replace MB by MBG. Example: An 2217-W with Greylight fabric = MBG2217-W

For article numbers with Greyline replace MB by MBGL. Example: An 2217-W with Greyline fabric = MBGL2217-W

For article numbers with ReAct replace MB by MBS. Example: An 2217-W with ReAct fabric = MBS2217-W

For article numbers with Acoustic replace MB by MAB. Example: An 2217-W with Acoustic fabric = MAB2217-W

The first part of the article number indicates the control option; MB = Switch and MBI = Installation. Example: An 1817-V with ReAct fabric for Installation = MBSI1817-V

Inline Switch is supplied with euro plug as standard. For UK plug add -UK at the end of the article number. Example: An 1817-V with ReAct fabric and UK plug = MBS1817-V-UK

For article numbers with CinemaScope (2.35:1), please see our pricelist.

Accessories

ARTICLE NO	
485030	30 cm brackets, pair
485050	50 cm brackets, pair
485075	75 cm brackets, pair

ARTICLE NO	
210603	Switch, 2-positions
210660	RF-control, 3-positions, euro plug
210660-UK	RF-control, 3-positions, UK plug

ARTICLE NO	
210604	Keypress, 3-positions
400300	Screen Cleaning Spray, 250 ml

